

Fili Totali: 4.068 Fili Fondo: 3.960 Cimosse: 54 x Parte Pettine: 110,00 / 2,00 H.telaio: 184,91 H.finita: 140

Trame/MT.: a telaio 2.200 Rientro: Contraz.tot: Peso/ml.teor: GG: Div: Finito: Armatura: 100

Disposizione Ordito: ( 015899 )

Disposizione Trama: ( 015899 )

PASSATURA: „CNR SEGUENTE SU 4 LICCI

6	A	A	81	89,40
1	B	B	23	25,38
4	A		104	114,78
1	B			
2	A			
1	B			
5	A			
1	B			
3	A			
1	B			
5	A			
1	B			
2	A			
1	B			
3	A	} x 2		
1	B	}		
4	A			
1	B			
2	A			
1	B			
5	A	} x 2		
1	B	}		
2	A			
1	B			
3	A			
1	B			
6	A			
1	B			
2	A			
1	B			
3	A			
1	B			
5	A			
1	B			
2	A			
1	B			
3	A			
1	B			
4	A			
1	B			
2	A			
1	B			
1	B			
104				

6	A			
1	B			
4	A			
1	B			
2	A			
1	B			
5	A			
1	B			
3	A			
1	B			
5	A			
1	B			
2	A			
1	B			
3	A	} x 2		
1	B	}		
4	A			
1	B			
2	A			
1	B			
5	A	} x 2		
1	B	}		
2	A			
1	B			
3	A			
1	B			
6	A			
1	B			
2	A			
1	B			
3	A			
1	B			
5	A			
1	B			
2	A			
1	B			
3	A			
1	B			
4	A			
1	B			
2	A			
1	B			
1	B			
104				

A	81	99,29
B	23	28,19
	104	127,48



ORDITO	A	B	C	D	E	F	G	H
0500	AA	NM 2/69 53 R-POLY 43 2T0692S0001	NM 2/69 53 R-POLY 43 2T0692S0580					
0501	AB	2R0692S0024	2T0692S0580					
0502	AC	2T0692S0340	2T0692S0578					
0503	AD	2T0692S0281	2T0692S0765					
0504	AE	2T0692S0104	2T0692S0748					
0505	AF	2T0692S0605	2R0692S0022					

TRAMA		A	B	C	D	E	F	G	H
CATENA	VAR.COL.	NM 2/69 53 R-POLY 43	NM 2/69 53 R-POLY 43						
AA	001	2T0692S0001	2T0692S0580						
AB	002	2R0692S0024	2T0692S0580						
AC	003	2T0692S0340	2T0692S0578						
AD	004	2T0692S0281	2T0692S0765						
AE	005	2T0692S0104	2T0692S0748						
AF	006	2T0692S0605	2R0692S0022						

