

Fili Totali: 3.960 Fili Fondo: 3.892 Cimosse: 34 x Parte Pettine: 110,00 / 2,00 H.telaio: 180,00 H.finita: 140

Trame/MT.: a telaio 2.200 Rientro: Contraz.tot: Peso/ml.teor: GG: Div: Finito: Armatura: 100


Disposizione Ordito: (015899)

Disposizione Trama: (015899)

PASSATURA: „CWR SEGUENTE SU 4 LICCI

6	A	A	81	87,86
1	B	B	23	24,95
4	A		104	112,81
1	B			
2	A			
1	B			
5	A			
1	B			
3	A			
1	B			
5	A			
1	B			
2	A			
1	B			
3	A	} x 2		
1	B	}		
4	A			
1	B			
2	A			
1	B			
5	A	} x 2		
1	B	}		
2	A			
1	B			
3	A			
1	B			
6	A			
1	B			
2	A			
1	B			
3	A			
1	B			
5	A			
1	B			
2	A			
1	B			
3	A			
1	B			
4	A			
1	B			
2	A			
1	B			
3	A			
1	B			
4	A			
1	B			
2	A			
1	B			
1	B			
104				

6	A	A	81	96,85
1	B	B	23	27,50
4	A		104	124,35
1	B			
2	A			
1	B			
5	A			
1	B			
3	A			
1	B			
5	A			
1	B			
2	A			
1	B			
3	A	} x 2		
1	B	}		
4	A			
1	B			
2	A			
1	B			
5	A	} x 2		
1	B	}		
2	A			
1	B			
3	A			
1	B			
6	A			
1	B			
2	A			
1	B			
3	A			
1	B			
5	A			
1	B			
2	A			
1	B			
3	A			
1	B			
4	A			
1	B			
2	A			
1	B			
1	B			
104				



ORDITO	A	B	C	D	E	F	G	H
0478	AA	NM 2/69 53 R-POLY 43 2T0692S0001	NM 2/69 53 R-POLY 43 2T0692S0580					
0479	AB	2R0692S0024	2T0692S0580					
0480	AC	2T0692S0340	2T0692S0578					
0481	AD	2T0692S0281	2T0692S0765					
0482	AE	2T0692S0104	2T0692S0748					
0483	AF	2T0692S0605	2R0692S0022					

TRAMA		A	B	C	D	E	F	G	H
CATENA	VAR.COL.	NM 2/69 53 R-POLY 43	NM 2/69 53 R-POLY 43						
AA	001	2T0692S0001	2T0692S0580						
AB	002	2R0692S0024	2T0692S0580						
AC	003	2T0692S0340	2T0692S0578						
AD	004	2T0692S0281	2T0692S0765						
AE	005	2T0692S0104	2T0692S0748						
AF	006	2T0692S0605	2R0692S0022						

